

FACELIFT

DR. JASON CLAIN

POST-OPERATIVE INSTRUCTIONS FACELIFT

CONTACT DR. CLAIN

Office: 914-219-8332

Secretary: (516) 739-2322

Dr. Clain's email:

JClain@nyplasticsurgical.com

Before Surgery

- Do not take any ibuprofen containing products for 2 weeks prior to surgery. Acetaminophen/Tylenol is safe.
- You should have a friend/family stay with you for 24-48 hours after surgery
- Wear comfy clothes, wear a shirt that buttons down the front so it is easy to get on/off

After Surgery

- You will have a wrap on your head for the first 24-48 hours as well as 1-2 drains. These will come out in the office
- Keep your head elevated on pillows, be careful bending down.
- Gentle movements of the head/neck to prevent bleeding
- Once your dressing is removed in 1-2 days, you can shower normally

Activity

- Do not lift anything >5 pounds.
- Keep your head up, do not bend down
- No makeup for 2 weeks. No heavy exercise (straining/sweating) for 6 weeks.
-

Medications

- Take acetaminophen for pain, take the narcotic pain medication only for severe pain (you can also take a half pill). Ibuprofen is ok 3 days after surgery.
- You do not need any additional antibiotics.

What To Expect While Healing

- Bruising is normal, this will be better in 1 week and usually gone by 2 weeks

FACELIFT

DR. JASON CLAIN

- You may feel hard spots under your skin as the swelling comes down, that will resolve with time

Follow-Up

- You will see Dr. Clain 1 week and 2 weeks after surgery. Half of your sutures will be removed at each visit
- It takes 6-12 months to see your final result